

# TM-KFZ

Thur Metall's modern car workshop system





















# The brand

by professionals, for professionals



# Tried, tested and true

Workspace equipment from Thur Metall has been tried and tested in the automotive industry and motor racing for decades. All major brands rely on the high-quality system that flexibly fulfils every customer requirement from single drawer cabinets to fully integrated work lines. The modular design and excellent quality ensure that Thur Metall applications are a perfect fit, as well as being durable and robust. Special requirements of the sector are implemented in detail. This enables you to benefit from a personalised, coherent solution that makes your workshop better-organised, more efficient and even more visually appealing.

Put your faith in superior quality and durability – just as leading automotive brands worldwide do.





# **Ergonomic and efficient**

#### Industry-specific modules, superstructures and accessories

Thur Metall knows what is important in the automotive industry. That's why Thur Metall offers a wide range of purpose-specific modules, superstructures and accessories to equip your workshop to the highest standards. Industry-specific details and special solutions for compressed air and other typical applications provide top ergonomics – and thereby enhance your efficiency and productivity.

- Comprehensive range and many different services
- Countless configurations one system
- Customised and competent project planning
- 225 standard colour combinations for a virtually unlimited choice of colours
- 5-year guarantee
- First-class references from reputable companies
- Swiss made





#### **Partition material**

The extensive range of partition material for Thur Metall drawers — slotted partitions, metal dividers, troughs, foam inserts and more — provide secure and neat storage of all parts and tools.



### Free-standing modules

Free-standing modules help you to exploit available space to the full even with no supporting walls.




### **Individual locking system**

From standard locking systems with replaceable cylinders to fully electronic access control systems, you can choose from five intelligent levels of Thur Metall security systems. The latest generation includes an RFID lock featuring mobile control.





Certified under ISO 9001, 14001 and OHSAS 18001





#### **Cabinets**

With Thur Metall you can configure the equipment that is right for you from a wide range of standard units. As well as preconfigured cabinets, individually configured and special solutions are possible.



### **Rear panels**

Available plain or perforated in all widths. In addition to the square perforation for various keyhole hooks, this rear panel also offers slot perforations for attaching additional rear panel fittings.



# Electric power, compressed air, oil and water

Special and customised solutions for the supply of electric power, compressed air, water and other liquids perfectly and flexibly fulfil the requirements typical of this sector.



#### Stainless steel worktops

Worktops in stainless steel meet the most stringent requirements in terms of reliability, robustness and durability.




#### Accessories

Numerous accessories such as perforated panels, containers, vices and more, ensure an ideal supply and storage of materials.



# **Workshop modules**



- Monitor module
- W2 Overhead cabinet
- Perforated rear panel
- Workbench top
- Storage module
- C2 Recycling module
- C3 Drawer module mobile
- C4 Drawer module fixed
- C5 Fluid module
- C6 Power module
- C7 Workbench leg









**Recreation room** 

Warehouse

Office

# Typical application examples

# Example E1

### Simple, with room to upgrade

### Height **940** × Width **2000** × Depth **750** mm

Consisting of:

- $1 \times Fixed$  drawer module with 5 drawers
- 1 × Mobile drawer module with 4 drawers
- 1 × Ergo Universal workbench leg
- $1 \times Multiplex top: H 40 \times W 2000 \times D 750 mm$

#### Module combination











### Example E2

### Focused with quick access

#### Height 2330 × Width 2030 × Depth 820 mm

Consisting of:

- $1 \times Fluid module$  $1 \times Recycling module$
- $1 \times Mobile$  drawer module with 4 drawers
- 1  $\times$  Multiplex top: H 40  $\times$  W 2000  $\times$  D 750 mm
- $1 \times Perforated rear panel including fastening:$ H 1350 × W 2030 mm















# Example E3

### Quick access and lots of storage

#### Height 2330 × Width 3030 × Depth 820 mm

Consisting of:

- 1 × Fluid module
- 1 × Recycling module
- 1 × Storage module
- $1 \times Mobile$  drawer module with 4 drawers
- 1 × Multiplex top:
  - H  $40 \times W 3000 \times D 750 \text{ mm (2-part)}$
- 1 × Perforated rear panel including fastening: H 1350 × W 3030 mm

#### Module combination















# Example E4

### No compromises on function or ergonomics

### Height $2330 \times \text{Width } 4030 \times \text{Depth } 820 \text{ mm}$

Consisting of:

- 1 × Recycling module
- 1 × Storage module
- 1 × Fluid module
- $1 \times Power module connections$ not included (on request)
- $1 \times Fixed$  drawer module with 5 drawers
- 1 × Mobile drawer module with 4 drawers
- 1 × Multiplex top:
  - H 40  $\times$  W 4000  $\times$  D 750 mm (2-part)
- $1 \times Perforated$  rear panel including fastening: H 1350 × W 4030 mm

#### Module combination



















# **Preconfigured modules**

# Drawer module - fixed

### Height **940** × Width **605** × Depth **695** mm

| Description  | Art. No.   |
|--|------------|
| Number of drawers: 5<br>Front heights: $2 \times 75$ mm, $1 \times 150$ mm, $1 \times 200$ mm, $1 \times 300$ mm | 53.556.+++ |
| Number of drawers: 6<br>Front heights: $2 \times 75$ mm, $1 \times 100$ mm, $2 \times 150$ mm, $1 \times 250$ mm | 53.557.+++ |



**Order note:** 805, 1005 and 1205 mm module widths available on request.

#### Equipment

- Drawer load capacity: 75 kg
- 100 % full extension
- Usable area per drawer:
   0.30 m², W 500 x D 600 mm
- 4 levelling feet with a height adjustment of 940 to 990 mm







### Drawer module – mobile

### Width 605 × Depth 695 mm

| Description  | Height | Art. No.   |
|--|--------|------------|
| Number of drawers: 4<br>Front heights $2 \times 100$ mm, $2 \times 150$ mm                                       | 792 mm | 84.422.+++ |
| Number of drawers: 6<br>Front heights: $2 \times 75$ mm, $2 \times 100$ mm, $1 \times 150$ mm, $1 \times 200$ mm | 992 mm | 84.867.+++ |



**NB:** The height 992 mm does not fit under the workbench. The module must be placed in a freestanding position.

#### Equipment

- Drawer load capacity: 75 kg
- 100% full extension
- Useful area per drawer:
   0.30 m², W 500 x D 600 mm
- Maximum load capacity: 400 kg



# Recycling module

### Height **940** × Width **605** × Depth **695** mm

| Description                     | Art. No.   |
|---------------------------------|------------|
| Capacity:<br>2 × 60 Lwaste hins | 53.553.+++ |

#### Equipment

- 1 drawer, 60 l, load capacity: 200 kg
- 100% full extension
- Polypropylene (PP) waste bin\*, grey
- 4 levelling feet with a height adjustment of 940 to 990 mm





# Storage module

### Height 940 × Width 605 × Depth 695 mm

| Description        | Art. No.   |  |
|--------------------|------------|--|
| Right-opening door | 53.554.+++ |  |
| Left-opening door  | 53.555.++  |  |

#### **Equipment**

- 1 hinged door
- 1 height-adjustable shelf, useful area: 0.34 m²,
  - W 550  $\times$  D 620 mm
- 1 pull-out shelf, load capacity 75 kg, useful area: 0.25 m², W 475 x D 600 mm
- 4 levelling feet with a height adjustment of 940 to 990 mm

# Fluid module

### Height $940 \times Width 605 \times Depth 695 mm$

Description Art. No.

2 hose ports
1 galvanised drip tray, mass: W 538 × H 100 × D 100 mm

53.551.+++

. No. **Equipment 4** levelling

 4 levelling feet with a height adjustment of 940 to 990 mm





Note: Hose reels not supplied.



### Power module

### Height 940 × Width 605 × Depth 695 mm

| Description                                  | Art. No.   |
|--|------------|
| 2 hose ports<br>4 openings for power modules | 53.552.+++ |
|  |            |

1

**Note:** Compressed air hose reels and crank reels are not supplied.

#### **Equipment**

- 4 levelling feet with a height adjustment of 940 to 990 mm
- Power modules see page 12

# Monitor module

### Height 700 × Width 717 × Depth 350 mm

Description

Modular base with 2 cable support sleeves,
2 ventilation outlets on module housing sides
Glass door 5 mm, left-opening, usable dimensions:
W 610 × H 620 × D 320 mm

69.940.+++

#### **Equipment**

- Housing rear panel with 4 bores, including assembly screws
- Load capacity 25 kg





### Overhead cabinet

### Height 420×Width 1000×Depth 400 mm

| Description                         | Art. No.   |
|-------------------------------------|------------|
| 2 solid sheet sliding doors         | 85.224.+++ |
| 2 hinged doors with viewing windows | 85.226.+++ |

#### Equipment

- Housing load capacity: 25 kg
- Usable dimensions: H 335 x W 943 x D 340 mm

<sup>\*</sup>At room temperature, polypropylene is resistant to greases and almost all organic solvents apart from strong oxidants. Non-oxidising acids and bases can be stored in containers made of PP. At higher temperatures, PP dissolves in low-polarity solvents (e.g. xylol, tetralin and decalin). Heat resistance –29 to 100 degrees Celsius.



Housing: Anthracite grey, RAL 7016 Fronts: Pale grey, RAL 7035



# Workbench tops



# Workbench tops made of multiplex

Versatile – dirt-repellent and largely impervious to oil and grease.



# Multiplex top with sheet steel coating

Meets high standards – resistant, very easy to clean and versatile.



# Workbench tops made of nitrile

Versatile – slip-resistant and shock-absorbent, as well as oil- and fuel-resistant.

# Workbench tops

### Height 40 × Depth 750 mm

| Description          | 1500 mm     | 2000 mm     | 2500 mm     |
|----------------------|-------------|-------------|-------------|
| Multiplex            | 40.025.000  | 40.027.000  | 40.028.000  |
| Nitrile              | 42.922.000  | 42.923.000  | 42.924.000  |
| Sheet steel covering | 210.263.000 | 210.269.000 | 210.291.000 |

#### Equipment

- Worktop depth 700 mm on request
- Lengths can also be tailored





### Drawer cabinet substructure

Height 400×Width 605×Depth 695 mm

| Description   | Art. Nr.   |
|---|------------|
| Number of drawers: 3  | 53.435.+++ |
| Front heights: $1 \times 50$ mm, $1 \times 100$ mm, $1 \times 150$ mm | 33.433.+++ |

#### **Equipment**

 For mounting on the workbench top

### Pre-assembly for threaded sockets

| Used for                  | Number of screw joints                           | Art. No.   |
|---------------------------|--|------------|
| Workbench leg and housing | 4 × M10 screws <b>not including</b> pre-assembly | 39.160.000 |
| Workbench leg and housing | 4 × M10 screws <b>including</b> pre-assembly     | 39.161.000 |



#### Butt joints over cabinet and workbench leg

Butt joint suitable for drawer cabinet, connects the workbench top in perfect alignment with wooden tongue and groove over the cabinet for double and in-line continuous row benches. Tongue width 20 mm. Milled groove and wooden tongue.

| Worktop depth mm | Tongue width mm | Thickness mm | Art. No.   |
|------------------|-----------------|--------------|------------|
| 650-799          | 630             | 4            | 39.320.000 |



#### «Ergo Universal» workbench leg

| Description   | Art. No.   |
|---|------------|
| Profile steel pipe, $50 \times 50$ mm with two levelling feet | 53.566.+++ |

#### Plastic base plate

| Description   | Art. No.    |
|---|-------------|
| Full base, soft; PVC: Shore A: 80, translucent with light blue cast | 345.154.000 |


Size can be tailored

# Workbench superstructures

# load capacity up to 150 kg

### Modular design for individual equipment


The modular structure of the superstructures allow the workbenches, with many practical individual components, to be combined into one custom-equipped workstation. The equipment required for any use can be brought together based on top width and the desired pillar height.



- Support pillar left/right
- Rear panel, plain
- Rear panel, perforated
- Power conduit
- 6 Power supply cable
- **78** Adjustable shelf
- Container strip



The square 50 mm grid perforation allows fittings to be easily hung level or tilted by a maximum of 15 degrees by hand.







# Freely positionable structure width

During assembly on the workbench substructure, the support pillars mounted to the stabilising profile using clamps can be freely and flexibility positioned and converted to other module widths.

# **Power modules**

# Fits C6 cabinet module





#### Power module 1

1 × switch 1 × 220 V socket

| Туре             | Art. No.   |
|------------------|------------|
| СН               | 89.534.000 |
| Protective earth | 89.535.000 |
| F                | 89.536.000 |
| GB               | 89.537.000 |



#### Power module 2

2× 220 V socket

| Туре             | Art. No.   |
|------------------|------------|
| CH               | 89.530.000 |
| Protective earth | 89.531.000 |
| F                | 89.532.000 |
| GB               | 89.533.000 |



#### Power module 3

1 circuit breaker single-pin (CH: 10 A/protective earth: 16 A)

| Туре             | Art. No.   |
|------------------|------------|
| СН               | 89.579.000 |
| Protective earth | 89.542.000 |



#### Power module 4

**Emergency Stop button** 

| Туре | Art. No.   |
|------|------------|
| _    | 89.540.000 |



#### Power module 5

 $2 \times 2$  network sockets RJ45, without network cable, plug+play, cat 6

| _    | 89.538.000 |
|------|------------|
| Type | Art. No.   |



#### Power module 6

 $2\times\text{DN7}$  compressed air connections, input: DN5 plug-in nipple, output: DN5 quick-release coupling

| _    | 89.539.000 |
|------|------------|
| Туре | Art. No.   |



#### **Connecting cable**

Simple and quick electrical installation through 3-pin plug and socket connector system

Length 3 m

| Type             | Art. No.   |
|------------------|------------|
| СН               | 89.544.000 |
| Protective earth | 89.545.000 |
| F                | 89.545.000 |
| GB               | 89.546.000 |
|                  |            |



#### **Connecting cable**

3-pin connector system with plug and socket Length 0.5 m

| _    | 89.547.000 |
|------|------------|
| Type | Art. No.   |



#### **Blank cover**

For subsequent addition of power modules


| 0 |
|---|
|   |



**Order note:** please always order power modules separately according to individual property requirements. The cabinet module is supplied with the power module built in.

#### **TM Online**

The complete Thur Metall range offers countless solutions for your individual requirements. The complete catalogue, special offer catalogues, ThurScript and assembly instructions can be found here:









# **Drawer partition material**



### Sets of plastic boxes

6 plastic boxes  $100 \times 100$ 12 plastic boxes  $100 \times 200$ 

| for front height mm | Art. No.   |
|---------------------|------------|
| 75                  | 56.160.000 |
| 100/125             | 56.161.000 |
| Label set 18 pcs.   | 55.996.000 |



#### **Divider sets**

4 lengthwise dividers
10 crosswise dividers 100
75
56.172.000
100/125
56.173.000
150
56.174.000



- 3 lengthwise dividers
- 4 crosswise dividers 100
- 4 crosswise dividers 150
   Art. No.

   75
   56.175.000

   100/125
   56.176.000

   150
   56.177.000



# Foam inserts Colour: black, Sales unit of 1 piece Thickness mm Width mm Depth mm Art. No. 5 500 600 56.586.000



# **Systematic organisation**



#### **Partition materials**

Thur Metall's drawer partitioning materials provides systematic organisation in every workspace, reducing time searching for stored items, simplified workflows and efficient results.



### Immediate recognition

Drawer handle bars with two coloured corners for immediate recognition and comprehensive large-area labelling options.




#### **Professional storage**


- Practical partition material for the entire range offers perfect storage organisation.
- Protective and flexible storage thanks to varied partition and combination options with dividers, insert boxes, recesses, pegs or pulling mats.




# **Tool holders**

for perforated rear panels









| Art. No.   |
|------------|
| 45.278.000 |
| 45.279.000 |
| 45.280.000 |
|            |



More perforated panel holders see full catalogue

# **Locking systems**



#### **Key Lock (standard)**

- Standard locking system with replaceable cylinders including two keys with key number
- Easily adapted to existing locking systems
- Can be used as master locking system (max. 100 cylinders) or as a separate or combined locking system



### **RFID Lock (on request)**

- Locking system with 10 digits for 4- to 6-digit codes, up to 100 codes
- Power supply with two standard alkaline AA batteries
- Works for several years without changing the battery
- Log file of last 50 events
- Use RFID badge, RFID card or code
- Easy to add and remove users with the master card, RFID badge, RFID card or Thur Metall Access Software
- Free contact for external systems

# Labelling system Four steps to perfect labelling with **THUR**Script


Using the advanced **THURS***cript* labelling system, all Thur Metall products and most partition materials can be simply and clearly labelled. The labelling software can be downloaded easily and free of charge from the Thur Metall website. The labels are specially designed to be used with the software and are available as A4 sheets. They can be used in all commercially available printers. As a result, the range of individual label designs is virtually unlimited.



Step 1 Free download: www.thurmetall.com/thurscript.php



Step 2 Design: design the label using **THUR***Script* labelling software.



Slide in: Take the viewing window out of the handle on the drawer and simply slide the label in sideways.

# **Benefits**

- Very easy to create individual Thur Metall labels
- With text, colours, images and barcode generation
- Data import via database connection possible
- High flexibility thanks to various label sizes and perforated A4 sheets
- Printable on any commercially available printer



Print: Print the labels on **THUR**Script labels and detach them in the desired size at the perforated points.

### Available label formats

| Article No.              | Can be used for formats (W $\times$ H) | Suitable for                   |
|--------------------------|--|--------------------------------|
| 19.035.000               | 210 × 30 oder 70 × 30 mm               | Classic TM drawer handle       |
| 80.325.000               | 47 × 12 mm, 76 Etiketten               | Thur Script «Universal Parcel» |
| 47 × 18 mm, 52 Etiketten |  |                                |
|                          | 27 × 12 mm, 133 Etiketten              |                                |
| 19.031.000               | 62×21,8 mm                             | Barcode holder                 |

### Barcode holder including protective shields for slotted partitions, metal separators and dividers

Holders for barcode labels, width 65 mm × height 25 mm, for slotting onto slotted partitions, metal separators and dividers. Description of barcode holder: sheet steel, bright galvanised, labels not included. Description of barcode protective shield: PVC plastic, transparent, labels not included.



Item No. 80.752.000 Sales unit of 10 pieces

Label





# **Complementary products**

# for your workspace



# Powered compartmental locker

Charging point, valuables cabinet and personal locker.
Each compartment is equipped with a power module and socket.

# Tall and the same of the same

### Height **1795** × Width **8100** × Depth **582** mm

| Description  | Anschluss | Art. No.   |
|--|-----------|------------|
| 8 compartments (2 × 4)   | CH        | 53.068.+++ |
| H 400 $\times$ W 400 $\times$ D 500 mm   | DE/AT/NL  | 82.250.+++ |
| Full sheet doors with cylinder lock Each compartment contains a double 230-volt socket | FR/BE     | 53.072.+++ |
|  | TIVDL     | 33.072.777 |
|  | GB/IR     | 53.160.+++ |
| Version without power supply   |           | 53.196.+++ |

# Powered clothes locker

### Height 1800 × Width 1200 × Depth 500 mm

| Description                  | Power supply | Art. No.   |
|------------------------------|--------------|------------|
| 4 compartments               | СН           | 98.469.+++ |
|                              | DE/AT/NL     | 98.470.+++ |
|                              | FR/BE        | 98.471.+++ |
|                              | GB/IR        | 98.472.+++ |
| Version without power supply |              | 97.624.+++ |





Headwear compartment with built-in socket

### **Equipment per compartment**

- High-quality steel plate construction
- Hinged doors mounted on the right with fulcrum pin
- Air vent at the top, bottom and rear panel of the housing cover
- Key Lock locking system (locking system with padlock on request)
- Storage option according to DIN 4547-2011
- 1 headwear shelf with **built-in socket** in rear panel
- 1 clothes rack with 3 hooks
- 1 towel holder

# Vertical pull-out cabinet

Perfect use of space – with just 0.7 m<sup>2</sup> floor space, enjoy up to 7 m<sup>2</sup> storage space. Cabinet housing with 3 vertical pull-outs.

### Height 1950×Width 1000×Depth 695 mm

Description Art. No. With perforated panels and pull-outs, perforated panels 85.714.+++ can be used on both sides

3 Auszüge B 307 mm





Pull-outs with perforated panels, Usable dimension per perforated panel side H 1700 × D 560



Tool holder for perforated rear panel see page 14






# Mobile workbench

Maximum mobility and working surface stability thanks to stow-away travel unit. Also available with retractable vice.

### Width 1000 × Depth 700 mm

| Description   | Top thickness mm | Height mm | Art. No.   |
|---------------|------------------|-----------|------------|
| Multiplex top | 40               | 870/890   | 82.652.+++ |
| December 1    | Vice             | Equipme   | nt         |



- 4 drawers, front heights:  $3 \times 100$ ,  $1 \times 200$  mm
- Useful area per drawer:  $0.3 \text{ m}^2$ , W  $500 \times D 600 \text{ mm}$
- Retractable door

# Sliding-door cabinet


Perfect for small spaces, solid steel plate construction, galvanised shelf. Total load capacity: 500 kg.

#### Height 1950 mm

Fronts:

| Option with central partition | Equipment                 | Art. No.   |
|-------------------------------|---------------------------|------------|
| Width 1500 × Depth 580 mm     | 8 adjusting shelves 60 kg | 58.782.+++ |
| Width 2000 × Depth 580 mm     | 8 adjusting shelves 60 kg | 58.782.+++ |









# **5 Modules**

# for countless combinations

Thur Metall AG offers an individually combinable storage system with the TM modules. These are easy to expand and boast outstanding durability.











# **Accumulated expertise**







All of our catalogues can be ordered from us as a hard copy and are available online in PDF format. You can find this on the media centre of our website,

www.thurmetall.com.

# **Certified production**



All Thur Metall products are manufactured according to the internationally recognised norms.









# Planning made simple



pCon.catalog is an online catalogue service that provides graphic product data and information.



The use of high-quality materials, state-of-the-art machine technology and environmentally sustainable production processes, ongoing quality control and a highly motivated team of employees guarantee durability in timeless design at an impressive price/performance ratio.

#### Quality

Thur Metall drawer cabinets, made from high-quality sheet steel, and matching workbenches are favourites for industry and commerce. Whether in a production hall or workshop, research laboratory, museum, hospital, small-parts storage area or in a showroom: Thur Metall shines wherever tools, stored goods and small parts need to be stored safely, compactly and systematically while remaining close at hand.

#### ■ 5-year guarantee

You can rely on our quality products. So much so that we offer our customers a 5-year guarantee on all products in the TM range. Workbench tops and electronic parts come with a 1-year guarantee.

#### Certified production

Thur Metall products are manufactured according to the following norms:

ISO 9001:2008: quality management

**ISO 14001:2004:** environmental management sys-

tem

**OHSAS 18001:2007:** occupational health and safety management system.

### High-quality surfaces

using state-of-the-art powder coating technology for lasting resistance to abrasion.

All products with a choice of colours are available in **15 standard colours** and **2 colour combinations** without surcharge.

The three-digit colour code is part of the article number (e.g. .876). When ordering, always complete the article number by adding the required colour code (e.g. 82.034.876).

#### **Standard colours:**

| .875 | Light blue<br>NCS S 1060-R80 B  | .966 | Traffic yellow<br>RAL 1023 |
|------|---------------------------------|------|----------------------------|
| .010 | Pale blue<br>RAL 5012           | .240 | Flame red<br>RAL 3000      |
| .876 | Pigeon blue<br>NCS S 4040-R70 B | .070 | Ruby red<br>RAL 3003       |
| .170 | Ultramarine blue<br>RAL 5002    | .110 | Pure white<br>RAL 9010     |
| .210 | Brilliant blue<br>RAL 5007      | .020 | Pale grey<br>RAL 7035      |
| .220 | Turquoise blue<br>RAL 5018      | .080 | Dove grey<br>NCS S 4502-B  |
| .030 | Reseda green<br>RAL 6011        | .200 | Anthracite grey            |
|      |                                 | .060 | Black<br>NCS S 9000-N      |
|      |                                 |      |                            |

#### **Colour combinations:**

| .501 | Housings/frames:<br>Fronts/doors: | Pigeon blue, NCS S 4040-R70 B<br>Light blue, NCS S 1060-R80 B |
|------|-----------------------------------|---|
| .502 | Housings/frames:<br>Fronts/doors: | Anthracite grey, RAL 7016<br>Pale grey, RAL 7035              |

Would you like even more individuality? Then simply create your own combination from two standard colours without surcharge. Additional colours available on request.

Only available from the specialist trade:



Further attractive products can be found on

www.thurmetall.com

